BUCHWALD PHOSPHINE LIGANDS



SPE
Summit Pharmaceuticals Europe

Buchwald Phosphine Ligands



SPhos



XPhos



RuPhos



MePhos



BrettPhos



t-Bu-XPhos



DavePhos



t-Bu-MePhos

Licensed by MIT



100 kg Production has been industrialized

NCI's advantages

- Cost Effective: Integrated Production from PH_3
- High Purity: More than 98.0%
- Industrial Scale Supply: Flexible and Capable
- Contract Manufacturing Service: Ask us to find your solution

Application examples

Amination and amidation of arylsulfonates



Pd catalyzed Suzuki-Miyaura coupling reaction



Chemoselective amination of aryl-chlorides



Applications in Pharmaceutical Synthesis



Elbasvir

J. Am. Chem. Soc., 2015, ***137***, 13728.



Bioorg. Med. Chem. Lett. 2004, ***14***, 2955.



Org. Lett. 2003, ***5***, 1369.

P-Chiral Phosphine Ligand QuinoxP*





(*R*,*R*)-QuinoxP*



100 kg Production has been industrialized

- Air-stable crystalline solid
- Excellent enantioselectivities of up to 99.9% ee in asymmetric hydrogenation and C-C or C-N bond formations
- (*S*,*S*)-QuinoxP* is also available.
- **QuinoxP* is patented by NCI.**



Application examples

Enantioselective Hydrogenation





S/C 1,000 97.7% ee

VLA-4 antagonist S9059



S/C 10,000 99.9% ee

Casopitant

Enantioselective C-C or C-N bond forming reaction



J. Am. Chem. Soc., 2015, ***137***, 13728.



J. Am. Chem. Soc., 2016, ***138***, 4338.

SPE
Summit Pharmaceuticals Europe